

Title:

Integration of the stem cell biology-based genomic tool, StemPrintER, with clinicopathological parameters for the prediction of distant recurrence in ER+/HER2- breast cancer patients.

Authors:

S. Pece^{1,2}, P. Maisonneuve¹, D. Disalvatore¹, S. Freddi¹, P. Veronesi^{1,2}, M. Colleoni¹, G. Viale^{1,2}, and P.P. Di Fiore^{1,2}.

Affiliations:

¹IEO, Istituto Europeo di Oncologia IRCCS, Via Ripamonti 435, 20141, Milan, Italy.

²Dipartimento di Oncologia e Emato-oncologia, Università degli Studi di Milano, Via Festa del Perdono 7, 20122 Milan, Italy.

Background

The StemPrintER risk score (SPRS) is a 20 gene-based predictor that estimates the “degree of stemness” of the primary tumor and provides additional prognostic information regarding distant metastasis (DM) risk in early stage ER+/HER2- breast cancer (BC) patients beyond that obtained from standard clinicopathological parameters. Here we describe a further refined model, that combines prognostic information from SPRS with tumor size (pT) and nodal status (pN), termed SPARE (SPRS for Personalized Adjuvant therapy in Receptor-Expressing patients). SPARE was compared to the clinical treatment score (CTS) for 10-year risk of DM in a consecutive-retrospective ER+/HER2- BC patient cohort (n=1,827) with 15-year complete follow-up from the European Institute of Oncology (IEO) in Milan.

Methods

The SPARE model was developed in patients randomly assigned to a training set (n=609), using the ridge-penalized Cox regression, and tested in an independent validation set (n=1,218). Likelihood χ^2 (LR χ^2) and Kaplan-Meier survival analysis were used to compare the prognostic information from SPARE and CTS (based on age, pN, pT, endocrine treatment). Comparative analyses were made for the DM risk over the 10-year follow-up, as well as in the early (0-5 years) or late (5-10 years) interval, according to nodal status.

Results

SPARE outperformed CTS in providing prognostic information for 10-year DM risk (LR χ^2 : SPARE = 141.2, $P < 0.0001$; CTS = 118.1, $P < 0.0001$), with even greater differences in node-negative patients (LR χ^2 : SPARE = 47.6, $P < 0.0001$; CTS = 27.5, $P < 0.0001$) and in 1-3 node-positive patients (LR χ^2 : SPARE = 30.6, $P < 0.0001$; CTS = 15.1, $P < 0.0001$). When reciprocally adjusted for each other, SPARE added prognostic information to CTS (Δ LR χ^2 : CTS+SPARE vs. CTS = 25.2; $P < 0.0001$), while CTS did not provide any statistically significant information to SPARE (SPARE+CTS vs. SPARE = 2.1, $P = 0.14$). Using predefined cut-offs to stratify chemo-naïve patients clinically estimated at low recurrence risk, SPARE identified low, intermediate and high risk patients based on their annual rate of DM in the early (low, 0.2%, intermediate, 0.8%, high, 3.3%) and late (low, 0.3%, intermediate, 0.9%, high, 1.6%) interval.

Conclusion

SPARE represents a more refined clinical tool, compared to standard clinicopathological parameters, that could be used for personalized therapeutic decision making in ER+/HER2- BC patients.

Submission Requirements

Body

- **Contact Information:** Provide your full name, academic degree(s), institution, address, and email address. As the first author (presenting author), you will receive all future correspondence from ASCO regarding the status of your abstract. The information provided upon submission must belong to the first author.
- **Identification of Original Research:** Indicate whether your abstract reports on original research. Original research means a systematic investigation designed for the purpose of expanding knowledge or understanding, including the analysis of data. For clarity, a clinical trial is original research under this definition, and a summary or review of prior knowledge is not original research under this definition.
- **Identification of Clinical Trials:** Indicate whether your research is a clinical trial. A clinical trial is a research study in which one or more human subjects are prospectively assigned to one or more interventions (which may include placebo or other control) to evaluate the effects of those interventions on health-related biomedical or behavioral outcomes ([National Institutes of Health \[NIH\] Office of Extramural Research](#). Accessed August 30, 2018).
- Though clinical trial registration is not required for abstract submission, publication, or presentation, certain clinical trials are required to be registered by law and/or prior to journal publication. If a clinical trial is already registered, the first author will be asked to provide the name of the registry and the trial registration number during the abstract submission process. The clinical trial number will be included as part of the published abstract.
- **Funding Source:** Indicate whether the abstract was funded by the NIH, a pharmaceutical or biotechnology company, a tobacco company, a foundation, or another source. NIH-sponsored studies are those that receive direct NIH funding for their conduct, including cooperative group trials. If the research is funded by a pharmaceutical, biotechnology, or tobacco company, please provide a contact person at the company.
- **Abstract Title:** The title should objectively describe the study. Do not refer to study results or conclusions. ASCO reserves the right to edit conclusive titles.
- **Coauthor(s):** Provide the full name, academic degree(s), institution, address, email address, and disclosure information for each coauthor. You may list up to 20 individual authors for each abstract.
- **Authoring Group Name:** Listing a group name is optional. Do not list individual author names in this field. The group name will appear after the last author in the author string. It does not count toward the 20-author limit.
- **Disclosure Declaration:** ASCO's policy promotes balance, independence, objectivity, and scientific rigor in all of its activities through the disclosure of financial interests and other relationships, and management of potential conflicts. The financial interests or relationships requiring disclosure are outlined in [ASCO's Policy For Relationships With Companies](#) (Journal of Clinical Oncology 2017 35:7, 796-798). All authors are expected to disclose all relationships with for-profit health care companies.
- The [Coauthor Disclosure Form](#) may be used by the first author to obtain disclosure information from coauthors. The first author must enter all disclosure information through the Abstract Submitter. If an author has provided disclosure through the [ASCO Disclosure Management System](#), the information will automatically populate in the submission site. Disclosure information for all authors will be distributed as part of ASCO's Annual Meeting materials.
- **Restrictions for Presenting Authors:** If the first author is employed by a company as defined by the CMSS Code for Interactions with Companies (see below), an alternate presenter who does not have a relevant employment relationship must be named if the abstract is selected for presentation in an oral abstract session or clinical science symposium. Oral abstract presenters will also be subject to the same disclosure review and management strategies as faculty, per [ASCO's Implementation Plan to Manage Relationships with Companies for CE Activities](#).
- Company: "A for-profit entity that develops, produces, markets, or distributes drugs, devices, services or therapies used to diagnose, treat, monitor, manage, and alleviate health conditions. This definition is not intended to include non-profit entities, entities outside of the healthcare sector, or entities through which physicians provide clinical services directly to patients."
- **Abstract Body/Table:** The body of your abstract should describe the background, methods, results, and conclusions of your research. You may type your abstract directly into the text box, cut and paste from an existing document, or upload a text file of your abstract. Do not exceed 2,000 characters (approximately 300 to 350 words) for the total of your abstract title, body including section titles, and table. The character count does not include spaces or author names or institutions. One data table is permitted per abstract. The composition process does not enable shading or the merging of cells with centered text. Limit your table to no more than 10 rows and eliminate the need for shading or merged cells with centered text. Illustrations and figures are not permitted.
- **Topic Category:** Select the most appropriate track and subcategory for the abstract (see "Submission Categories" below). When submitting your abstract, you will have the option of identifying a secondary subcategory for your abstract. The ASCO Scientific Program Committee has the authority to recategorize an abstract.
- **Submission Fee:** A \$60 (USD) nonrefundable submission fee will be charged per abstract submitted. Payment is due at the time of submission. Credit cards are the only accepted form of payment. Checks, wire transfers, and purchase orders will not be accepted. First authors from low-income countries, as defined by the World Bank, may apply for a payment waiver. These countries include: Afghanistan, Benin, Burkina Faso, Burundi, Central African Republic, Chad, Democratic Republic of Congo, Eritrea, Ethiopia, Gambia, Guinea, Guinea-Bissau, Haiti, Democratic People's Republic of Korea, Liberia, Madagascar, Malawi, Mali, Mozambique, Nepal, Niger, Rwanda, Sierra Leone, Somalia, South Sudan, Syrian Arab Republic, Tajikistan, Tanzania, Togo, Uganda, and the Republic of Yemen. At this time, Lower-Middle Income Countries are not eligible for this waiver. Please [contact us](#) for more information.